SDS Revision Date: 05/02/2019 File No.: 0019

### 1. Identification

1.1. Product identifier

Product Identity Fiberglass Kreme Cleaner

Alternate Names Fiberglass Kreme Cleaner

Product Codes: 1091

1.2. Relevant identified uses of the substance or mixture and uses advised againstIntended useRemoves stains from fiberglass.

1.3. Details of the supplier of the safety data sheet

Company Name Life Industries Corporation

4060 Bridge View Drive N. Charleston, SC 29405

**Emergency** 

**CHEMTREC (USA)** (800) 424-9300

**24 hour Emergency Telephone No.** USA: 1-800-424-9300

Outside USA: +1-703-527-3887

Customer Service: Life Industries Corporation +1-843-566-1225

## 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Acute Tox. 5;H303 May be harmful if swallowed. (Not adopted by US OSHA)

Skin Irrit. 2;H315 Causes skin irritation.

Eye Dam. 1;H318 Causes serious eye damage.

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

H303 May be harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

SDS Revision Date: 05/02/2019 File No.: 0019

#### [Prevention]:

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

#### [Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER or doctor / physician.

P312 Call a POISON CENTER or doctor / physician if you feel unwell.

P321 Specific treatment (see information on this label).

P332+313 If skin irritation occurs: Get medical advice / attention.

P362 Take off contaminated clothing and wash before reuse.

#### [Storage]:

No GHS storage statements

#### [Disposal]:

No GHS disposal statements

## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Phosphoric acid CAS Number: 0007664-38-2	10 - 25	Skin Corr. 1B;H314 (> 25%)	[1][2]
Poly(oxy-1,2-ethanediyl), .alpha[4-(1,1,3,3-tetramethylbutyl)phenyl]omegahydroxy-CAS Number: 0009002-93-1	10 - 25	Acute Tox. 4;H302 Skin Irrit. 2;H315 Eye Dam. 1;H318 Aquatic Chronic 2;H411	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First aid measures

#### 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

<sup>[1]</sup> Substance classified with a health or environmental hazard.

<sup>[2]</sup> Substance with a workplace exposure limit.

<sup>[3]</sup> PBT-substance or vPvB-substance.

<sup>\*</sup>The full texts of the phrases are shown in Section 16.

SDS Revision Date: 05/02/2019 File No.: 0019

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting. If

swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

Overview Phosphoric acid is a strong organic acid. Treat symptomatically and supportively. See

section 2 for further details.

**Eyes** Causes serious eye damage.

**Skin** Causes skin irritation.

**Ingestion** May be harmful if swallowed.

### 5. Fire-fighting measures

#### 5.1. Extinguishing media

Use any means suitable for extinguishing surrounding fire. Water spray may be used to keep fire exposed containers cool. If water is used, use in abundance to control heat and acid build-up.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Phosphorus oxides may form when heated to decomposition.

#### 5.3. Advice for fire-fighters

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

ERG Guide No. 154

### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Neutralize with alkaline material (soda ash, lime), then absorb with an inert material (e. g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust. Do not flush to sewer!

SDS Revision Date: 05/02/2019 File No.: 0019

Contain, dilute cautiously with water, and neutralize with soda ash or lime.

### 7. Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with skin and eyes by using personal protective equipment.

See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Liberates explosive hydrogen gas when reacting with chlorides and stainless steel. Can react violently with sodium tetrahydroborate. Exothermic reactions with aldehydes, amines, amides, alcohols and glycols, azo-compounds, carbamates, esters, caustics, phenols and cresols, ketones, organophosphates, epoxides, explosives, combustible materials, unsaturated halides, and organic peroxides. phosphoric acid forms flammable gases with sulfides, mercaptans, cyanides and aldehydes. It also forms toxic fumes with cyanides, sulfide, fluorides, organic peroxides, and halogenated organics. Mixtures with nitromethane are explosive.

Keep in a tightly closed container. Protect from physical damage. Store in a cool, dry, ventilated area away from sources of heat, moisture, incompatibilities, and direct sunlight. Corrosive to mild steel.

See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

No data available.

## 8. Exposure controls and personal protection

#### 8.1. Control parameters

#### **Exposure**

CAS No.	Ingredient	Source	Value
0007664-38-2 Phosphoric acid	OSHA	TWA 1 mg/m3	
	ACGIH	TWA: 1 mg/m3STEL: 3 mg/m3	
	NIOSH	TWA 1 mg/m3 ST 3 mg/m3	
	Supplier	No Established Limit	
0009002-93-1 Poly(oxy-1,2-ethanediyl), .alpha[4-(1,1,3,3-tetramethylbutyl)phenyl]omegahydroxy-	OSHA	No Established Limit	
	ACGIH	No Established Limit	
	Inyaroxy	NIOSH	No Established Limit
		Supplier	No Established Limit

#### Carcinogen Data

CAS No.	Ingredient	Source	Value
0007664-38-2	Phosphoric acid	OSHA	Select Carcinogen: No
		NTP Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

SDS Revision Date: 05/02/2019 File No.: 0019

0009002-93-1	, , , , , , , , , , , , , , , , , , , ,		Select Carcinogen: No
	[4-(1,1,3,3- tetramethylbutyl)phenyl]omega	NTP	Known: No; Suspected: No
hydroxy-	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	

#### 8.2. Exposure controls

**Respiratory** If the exposure limit is exceeded, a full facepiece respirator with high efficiency dust/mist

filter may be worn up to 50 times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. For emergencies or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator. WARNING: Air purifying respirators do

not protect workers in oxygen-deficient atmospheres.

**Eyes**Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain

eye wash fountain and quick-drench facilities in work area.

**Skin** Chemical resistant clothing such as coveralls/apron and boots should be worn. Chemical

impervious gloves required.

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

### 9. Physical and chemical properties

Appearance Light blue gel
Odor Odorless
Odor threshold Not Measured

pH 1.5 (0.1 N aqueous solution)

Melting point / freezing point70F (21C)Initial boiling point and boiling range316F (158C)Flash PointNot MeasuredEvaporation rate (Ether = 1)Not MeasuredFlammability (solid, gas)Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Measured

**Upper Explosive Limit:** Not Measured

Vapor pressure (Pa) 2 hPa @ 20 deg. C

Vapor Density 3.4

Specific Gravity

Solubility in Water

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature

1.685 @ STP

Complete

Not Measured

SDS Revision Date: 05/02/2019 File No.: 0019

Decomposition temperatureNot MeasuredViscosity (cSt)Not Measured

9.2. Other information

California CARB Product Category: Furniture Maintenance Product <3.0% VOC W/W

### 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Excessive heat and open flame.

#### 10.5. Incompatible materials

Liberates explosive hydrogen gas when reacting with chlorides and stainless steel. Can react violently with sodium tetrahydroborate. Exothermic reactions with aldehydes, amines, amides, alcohols and glycols, azo-compounds, carbamates, esters, caustics, phenols and cresols, ketones, organophosphates, epoxides, explosives, combustible materials, unsaturated halides, and organic peroxides. phosphoric acid forms flammable gases with sulfides, mercaptans, cyanides and aldehydes. It also forms toxic fumes with cyanides, sulfide, fluorides, organic peroxides, and halogenated organics. Mixtures with nitromethane are explosive.

#### 10.6. Hazardous decomposition products

Phosphorus oxides may form when heated to decomposition.

## 11. Toxicological information

#### Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Phosphoric acid - (7664-38-2)	No data available	No data available	No data available	No data available	No data available
Poly(oxy-1,2-ethanediyl), .alpha[4-(1,1,3,3-tetramethylbutyl)phenyl]omegahydroxy (9002-93-1)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

SDS Revision Date: 05/02/2019 File No.: 0019

Classification	Category	Hazard Description		
Acute toxicity (oral)	5	May be harmful if swallowed. (Not adopted by US OSHA)		
Acute toxicity (dermal)		Not Applicable		
Acute toxicity (inhalation)		Not Applicable		
Skin corrosion/irritation	2	Causes skin irritation.		
Serious eye damage/irritation	1	Causes serious eye damage.		
Respiratory sensitization		Not Applicable		
Skin sensitization		Not Applicable		
Germ cell mutagenicity		Not Applicable		
Carcinogenicity		Not Applicable		
Reproductive toxicity		Not Applicable		
STOT-single exposure		Not Applicable		
STOT-repeated exposure		Not Applicable		
Aspiration hazard		Not Applicable		

## 12. Ecological information

#### 12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details

#### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Phosphoric acid - (7664-38-2)	Not Available	Not Available	Not Available
Poly(oxy-1,2-ethanediyl), .alpha[4-(1,1,3,3-tetramethylbutyl)phenyl]omegahydroxy (9002-93-1)	Not Available	Not Available	Not Available

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

#### 12.3. Bioaccumulative potential

Not Measured

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

SDS Revision Date: 05/02/2019 File No.: 0019

### 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

## 14. Transport information

ICAO/IATA

DOT (Domestic Surface IMO / IMDG (Ocean

Transportation) Transportation)

**14.1. UN number** UN1805 UN1805 UN1805

**14.2. UN proper shipping** UN1805, Phosphoric acid Phosphoric acid solution Phosphoric acid solution

ame solution, 8, III

14.3. Transport hazard DOT Hazard Class: 8 IMDG: 8 Air Class: 8

class(es)

Sub Class: Not Applicable

14.4. Packing group

III

III

14.5. Environmental hazards

**IMDG** Marine Pollutant: No

14.6. Special precautions for user

No further information

## 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

**Toxic Substance** All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory.

WHMIS Classification D2B E

US EPA Tier II Hazards Fire: No.

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): No

#### EPCRA 311/312 Chemicals and RQs (lbs):

Phosphoric acid (5,000.00)

#### **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 313 Toxic Chemicals:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

SDS Revision Date: 05/02/2019 File No.: 0019

#### **Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **New Jersey RTK Substances (>1%):**

Phosphoric acid

#### Pennsylvania RTK Substances (>1%):

Phosphoric acid

#### California CARB Product Category:

Furniture Maintenance Product <3.0% VOC W/W

#### 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

## This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

DISCLAIMER: The information and recommendations contained herein are based upon data believed to be correct. Life Industries Corporation assumes no liability for misinterpretation of the data contained within this form as any type of warranty or guarantee of the product.

**End of Document**