SDS Revision Date: 07/21/2015 File No.: 0130

1. Identification

1.1. Product identifier

Product Identity Fix - Part A

Alternate Names Resin System Curing Agent

Product Code(s): 1196, 1197

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Quick curing, waterproof resin system used to fill voids

in fiberglass, metal, wood, etc. or bond two of these

materials together.

1.3. Details of the supplier of the safety data sheet

Company Name Life Industries Corporation

4060 Bridge View Drive N. Charleston, SC 29405

Emergency

CHEMTREC (USA) (800) 424-9300

24 hour Emergency Telephone No. USA: 1-800-424-9300

Outside USA: +1-703-527-3887

Customer Service: Life Industries Corporation +1-843-566-1225

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin Irrit. 2;H315 Causes skin irritation.

Eye Irrit. 2;H319 Causes serious eye irritation.

Skin Sens. 1;H317 May cause an allergic skin reaction.

Repr. 1B;H360Df May damage the unborn child. Suspected of damaging fertility.

Aquatic Chronic 2;H411 Toxic to aquatic life with long lasting effects.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

SDS Revision Date: 07/21/2015 File No.: 0130

H360Df May damage the unborn child. Suspected of damaging fertility.

H411 Toxic to aquatic life with long lasting effects.

[Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P308+313 IF exposed or concerned: Get medical advice / attention.

P321 Specific treatment (see information on this label).

P333+313 If skin irritation or a rash occurs: Get medical advice / attention.

P337+313 If eye irritation persists: Get medical advice / attention.

P362 Take off contaminated clothing and wash before reuse.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

[Storage]:

P405 Store locked up.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

| Ingredient/Chemical Designations | Weight % | GHS Classification | Notes |
|---|----------|--|--------|
| Diglycidyl ether of bisphenol A CAS Number: 0025068-38-6 | 25 - 50 | Eye Irrit. 2;H319 Skin Irrit. 2;H315 Skin Sens. 1;H317 Aquatic Chronic 2;H411 | [1] |
| Dibutyl phthalate CAS Number: 0000084-74-2 | 1.0 - 10 | Repr. 1B;H360Df Aquatic Acute 1;H400 | [1][2] |

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

^[1] Substance classified with a health or environmental hazard.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.

^{*}The full texts of the phrases are shown in Section 16.

SDS Revision Date: 07/21/2015 File No.: 0130

4. First aid measures

4.1. Description of first aid measures

General Notes to physicians or first aid providers: Treat symptomatically and supportively.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview Eyes: Mild to moderate irritation

Skin: Mild irritation

Ingestion: Not known. See Section 4 for course of action

Inhalation: Inhalation is not an expected hazard unless misted or heated to temperatures

exceeding 400°F.

See section 2 for further details. Causes serious eye irritation.

Skin May cause an allergic skin reaction. Causes skin irritation.

5. Fire-fighting measures

5.1. Extinguishing media

Eyes

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Carbon oxides, hydrocarbons and phenols

Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

At higher temperature vapors can cause pressure buildup in sealed containers. Use water to cool containers exposed to fire. Self-contained respirator equipment and full protective clothing required when smoke or fumes are generated. Electrical grounding not recommended.

ERG Guide No. 171

SDS Revision Date: 07/21/2015 File No.: 0130

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Wipe up with rags and place in a closed container.

7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin & eyes by using personal protective equipment.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Strong oxidizing agents

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

| CAS No. | Ingredient | Source | Value |
|--------------|---------------------------------|----------|----------------------|
| 0000084-74-2 | Dibutyl phthalate | OSHA | TWA 5 mg/m3 |
| | | ACGIH | TWA: 5 mg/m3R |
| | | NIOSH | TWA 5 mg/m3 |
| | | Supplier | No Established Limit |
| 0025068-38-6 | Diglycidyl ether of bisphenol A | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |

SDS Revision Date: 07/21/2015 File No.: 0130

Carcinogen Data

| CAS No. | Ingredient | Source | Value |
|--------------|---------------------------------|------------------------------|--|
| 0000084-74-2 | Dibutyl phthalate | OSHA | Select Carcinogen: No |
| | | NTP Known: No; Suspected: No | |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 0025068-38-6 | Diglycidyl ether of bisphenol A | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |

8.2. Exposure controls

RespiratoryNot generally required.EyesChemical safety gogglesSkinPVC or rubber gloves.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance White, Creamy Paste
Odor Mild; Characteristic
Odor threshold Not determined

pH 7.2

Melting point / freezing pointNot ApplicableInitial boiling point and boiling rangeNot ApplicableFlash PointNot MeasuredEvaporation rate (Ether = 1)Not ApplicableFlammability (solid, gas)Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Measured

Upper Explosive Limit: Not Measured

Vapor pressure (Pa)Not ApplicableVapor DensityNot ApplicableSpecific Gravity1.8 (H2O=1)Solubility in WaterInsolublePartition coefficient n-octanol/water (Log Kow)Not MeasuredAuto-ignition temperature>618°F (328°C)

SDS Revision Date: 07/21/2015 File No.: 0130

Decomposition temperatureNot MeasuredViscosity (cSt)Not MeasuredDensityNot Measured

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous polymerization may occur if product is not handled as per instructions.

10.2. Chemical stability

This product requires another product to react at room temperature. Mix and use product in accordance with directions for safety. Excessive heat and fume generation can occur if improperly handled. Not sensitive to mechanical impact.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Highly basic compounds can cause irreversible polymerization. Will form a rock hard solid that will not be easily removed.

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Carbon oxides, hydrocarbons and phenols

11. Toxicological information

Acute toxicity

Based on the properties of the epoxy constituents and considering toxicological data on similar preparations this preparation may be an irritant and a skin and respiratory sensitizer. Low molecular weight epoxy constituents are irritating to eyes, mucous membranes and skin. Repeated skin contact may lead to irritation and sensitization, possibly with cross-sensitization to other epoxies. Skin contact with the preparation and exposure to spray mist and vapor should be avoided.

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapor LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|--|--------------------------------------|--|---------------------------------------|---|--------------------------------|
| Diglycidyl ether of bisphenol A - (25068-38-6) | > 5,000.00, Rat - Category: NA | 20,000.00, Rabbit - Category: NA | No data available | No data available | No data available |
| Dibutyl phthalate - (84-74-2) | 8,000.00, Rat - Category: NA | 20,860.00, Rabbit - Category: NA | No data available | No data available | No data available |

SDS Revision Date: 07/21/2015 File No.: 0130

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Classification | Category | Hazard Description |
|-------------------------------|----------|---|
| Acute toxicity (oral) | | Not Applicable |
| Acute toxicity (dermal) | | Not Applicable |
| Acute toxicity (inhalation) | | Not Applicable |
| Skin corrosion/irritation | 2 | Causes skin irritation. |
| Serious eye damage/irritation | 2 | Causes serious eye irritation. |
| Respiratory sensitization | | Not Applicable |
| Skin sensitization | 1 | May cause an allergic skin reaction. |
| Germ cell mutagenicity | | Not Applicable |
| Carcinogenicity | | Not Applicable |
| Reproductive toxicity | 1B | May damage the unborn child. Suspected of damaging fertility. |
| STOT-single exposure | | Not Applicable |
| STOT-repeated exposure | | Not Applicable |
| Aspiration hazard | | Not Applicable |

12. Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

| Ingredient | 96 hr LC50 fish, mg/l | 48 hr EC50 crustacea, mg/l | ErC50 algae, mg/l |
|--|------------------------------|-------------------------------|----------------------------------|
| Diglycidyl ether of bisphenol A - (25068-38-6) | 3.10, Pimephales promelas | 1.40, Daphnia magna | Not Available |
| Dibutyl phthalate - (84-74-2) | 0.48, Lepomis macrochirus | 2.99, Daphnia magna | 0.21 (96 hr), Scenedesmus acutus |

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

SDS Revision Date: 07/21/2015 File No.: 0130

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA Transportation) Transportation)

UN3082 UN3082 UN3082

14.1. UN number

14.2. UN proper UN3082, Environmentally Environmentally hazardous Environmentally hazardous shipping name hazardous substances, liquid, substances, liquid, n.o.s., (Di-n- substances, liquid, n.o.s., (Di-

> n.o.s., (Di-n-butyl-phthalate), 9, III butyl-phthalate) n-butyl-phthalate) IMDG: 9 Air Class: 9

14.3. Transport DOT Hazard Class: 9

hazard Sub Class: Not Applicable

class(es)

14.4. Packing Ш Ш Ш

group

14.5. Environmental hazards

Marine Pollutant: Yes (Diglycidyl ether of bisphenol A)

14.6. Special precautions for user

No further information

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance All components of this material are either listed or exempt from listing on the TSCA **Control Act (TSCA)**

Inventory. WHMIS Classification

US EPA Tier II Hazards Fire: No

D2A

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): No

SDS Revision Date: 07/21/2015 File No.: 0130

EPCRA 311/312 Chemicals and RQs (lbs):

Dibutyl phthalate (10.00)

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Dibutyl phthalate

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

Dibutyl phthalate

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

Dibutyl phthalate

New Jersey RTK Substances (>1%):

Dibutyl phthalate

Pennsylvania RTK Substances (>1%):

Dibutyl phthalate

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H360Df May damage the unborn child. Suspected of damaging fertility.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

DISCLAIMER: The information and recommendations contained herein are based upon data believed to be correct. Life Industries Corporation assumes no liability for misinterpretation of the data contained within this form as any type of warranty or guarantee of the product.

SDS Revision Date: 07/21/2015 File No.: 0130

End of Document